

Daily Soothing Face Cream

Ingredient	INCI	% w/w
Phase A		
A Leen 5	Pentylene Glycol	2.000
Keltrol CG-SFTv	Xanthan Gum	0.280
Hyaluronsäure 1.0-2.0mD	Sodium Hyalunorate	0.100
Phase B		
Purified Water	Aqua	69.010
2-Pflanzen Komplex	Glycerin, Aqua, Melilotus Officinalis Extract, Carica Papaya Fruit Extract	0.280
Evicide levulinate B	Aqua, Sodium Levulinate, Sodium Benzoate	2.500
Phase C		
Tegin M Pellets	Glyceryl Stearate	2.800
Emulgade PL 68/50	Cetearyl Glucoside, Cetearyl Alcohol	3.000
Lanette 16	Cetyl Alcohol	2.000
Dermofeel viscolid MB	Hydrogenated Vegetable Oil	1.400
MOD MB	Octyldodecyl Myristate	6.000
Cetiol C5C	Coco-Caprylate/Caprates	4.000
Phyto-Squalane	Squalane	1.800
Phase D		
Phenoliva Active 10	Olea Europaea Fruit Extract, Aqua, Citric Acid	0.100
Organic Aloe Vera Gel	Aloe Barbadensis, Citric Acid, Sodium Benzoate, Potassium Sorbate	1.200
Antileukine 6	Caprylic/Capric Triglyceride, Laminaria Ochroleuca Extract	2.000
PhytoCellTec Solar Vitis	Isomalt, Aqua, Vitis Vinifera Fruit Cell Extract, Lecithin, Sodium Benzoate	0.400
Vitamin F Forte	Linoleic Acid, Linolenic Acid	0.500
Phase E		
Citric Acid 50%	Citric Acid, Aqua	0.110
Total		100.000
Procedure		

1. Mix Phase A until it is homogeneous.
2. Add Phase B and mix for 20 min, heat to 75 °C.
3. Mix Phase C and heat to 75 °C.
4. Add Phase AB to Phase C and homogenise.
5. Cool down to 25 °C, add Phase D and homogenise.
6. Add Phase E to attain a pH 5.3.

The information contained in this document and the various products described are intended for use only by persons with appropriate technical knowledge and at their own discretion after they have made the necessary tests and evaluations of the products and their uses. All information and data contained herein are believed to be accurate and reliable, but are not to be construed as warranties of merchantability or fitness for a particular purpose or as representations, express or implied, for which GaiaTech assumes any legal responsibility. We do not warrant that the purchaser's use of any product or formulation described in this document will not infringe any patents.